WATER SUPPLY

MISSISSIPPI STATE DEPARTMENT OF HEALTH 2014 JUN 19 AM 10: 34 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION CALENDAR YEAR 2013

Town of Ashland Water

Public Water Supply I	Name
List PWS ID #s for all Community Water Sy	vstems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Common Consumer Confidence Report (CCR) to its customers each year. Despectively, this CCR must be mailed or delivered to the customers, published customers upon request. Make sure you follow the proper procedures email a copy of the CCR and Certification to MSDH. Please check a	
Customers were informed of availability of CCR by: (Attack	
Advertisement in local paper (attach copy of On water bills (attach copy of bill) Email message (MUST Email the message Other	to the address below)
Date(s) customers were informed:/,/	/ , /
CCR was distributed by U.S. Postal Service or other dimethods used	rect delivery. Must specify other direct delivery
Date Mailed/Distributed:/_/	
CCR was distributed by Email (MUST Email MSDH a copy As a URL (Provide URL As an attachment As text within the body of the email messa	
CCR was published in local newspaper. (Attach copy of pub	olished CCR or proof of publication)
Name of Newspaper: The Southern Advocate	
Date Published:5 / _1 /2014	
CCR was posted in public places. (Attach list of locations)	Date Posted://
CCR was posted on a publicly accessible internet site at the	following address (<u>DIRECT URL REQUIRED</u>):
CERTIFICATION Thereby certify that the 2013 Consumer Confidence Report (Copublic water system in the form and manner identified above the SDWA. I further certify that the information included in the water quality monitoring data provided to the public water Department of Health, Bureau of Public Water Supply. Name/Title (President, Mayor, Owner, etc.)	and that I used distribution methods allowed by is CCR is true and correct and is consistent with
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215	May be faxed to: (601)576-7800 May be emailed to:

May be emailed to: <u>Melanie.Yanklowski@msdh.state.ms.us</u>

OFIED WHITH OUT IN

2014 JUL 31 PM 3: 19

"Corrected CCR" 2013 Annual Drinking Water Quality Report Town of Ashland PWS ID# MS0050001 April 22, 2014

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is two wells. Our wells draw from the Upper Meridian Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Ashland have received a **lower susceptibility** ranking to contamination.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact John Childs at (662)–837-4847. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:00 P.M. at the Town Hall.

The Town of Ashland routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2013. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints

				TI	EST RESU	LTS		
Contaminant	Viola tion Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
	There i	e convinci	na evidena		& Disinfection			trol of microbial contaminants.)
TTHM (total trihalomemethan es	N	*2008	1.23	No-range	Ppb	0	80	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	N	2013	.80	0.51—1.0	Ppm	4	4	Water additive used to control microbes
				Inorga	nic Conta	mina	nts	
Arsenic	N	2011	2.3	No-range	Ppb	4	4	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production waste
Barium	N	2011	0.1671	0.0404-0.1671	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Chromium	N	2011	.0048	.00150048	Ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
Copper	N	*2011	0.1	No-range	Ppm	1.3	AL=1.3	Corrosion of household plumbing systems; corrosion of natural deposits; leaching from wood preservatives
Selenium	N	2011	2.8	No-range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Fluoride	N	2011	1.33	0.105-1.33	Ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Xylenes	N	2013	2.85	No-range	Ppm	10	10	Discharge from petroleum factories; discharge from chemical factories
Lead	N	*2011	5.0	No-range	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

^{*}Most recent sample. No sample was required in 2013

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Ashland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. Please contact 601-576-7582 if you wish to have your water tested.

To comply with the Regulation Governing Fluoridation of Community Water Supplies, the Town of Ashland is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that the average fluoride sample results were within the optimal range of 0.7 - 1.3 ppm was 7. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7 - 1.3 ppm was 63%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Your CCR will not be mailed to you however; you may obtain a copy at the by calling the Town Hall at 662-224-6282 if you have questions.

2014 APR 22 PM 3: 36

2013 Annual Drinking Water Quality Report Town of Ashland PWS ID# MS0050001 April 22, 2014

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is two wells. Our wells draw from the Upper Meridian Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Ashland have received a **lower susceptibility** ranking to contamination.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact John Childs at (662)–837-4847. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:00 P.M. at the Town Hall.

The Town of Ashland routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2013. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints

				TI	EST RESU	LTS		
Contaminant	Viola tion Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
				Disinfectants	& Disinfection	on By-Pa	roducts	
						necessa	ry for con	trol of microbial contaminants.)
TTHM (total trihalomemethan es_	N	*2008	1.23	No-range	Ppb	0	80	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	N	2013	.80	0.51—1.0	Ppm	4	4	Water additive used to control microbes
				Inorgai	nic Conta	mina	nts	
Arsenic	N	2011	2.3	No-range	Ppb	4	4	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production waste
Barium	N	2011	0.1671	0.0404-0.1671	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Chromium	N	2011	.0048	.00150048	Ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
Copper	N	*2011	0.1	No-range	Ppm	1.3	AL=1.3	Corrosion of household plumbing systems; corrosion of natural deposits; leaching from wood preservatives
Selenium	N	2011	2.8	No-range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Fluoride	N	2011	1.33	0.105-1.33	Ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Lead	N	*2011	5.0	No-range	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

^{*}Most recent sample. No sample was required in 2013

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Ashland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. Please contact 601-576-7582 if you wish to have your water tested.

To comply with the Regulation Governing Fluoridation of Community Water Supplies, the Town of Ashland is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that the average fluoride sample results were within the optimal range of 0.7 - 1.3 ppm was 7. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7 - 1.3 ppm was 63%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Your CCR will not be mailed to you however; you may obtain a copy at the by calling the Town Hall at 662-224-6282 if you have questions.

2014 JUN 19 AM 10: 34

Proof of Publication

The State of M		
The State of M Benton Count		
	-	a Notary Public in and
	and State, the u	-
	Tim Watson	
		poses and says that he is
l .		N ADVOCATE, a newspaper
§ *	e Town of Ashiar the PUBLIC ME	nd, in said County and
1	GAL NOTION	
	ecutive weeks in	ttached, was published for
newspaper as		Sala
VOLUME	NO.	DATE
108	20	5/1/2014 -5/1/2014
		3,77,01,
in Ashland, Be	nton County, Miseding the first ins	er has been published sissippi for more than one ertion of the above
Tim Watson		
		4.1 4
Sworn to and s	ubscribed before	e me this the
14 day	of MAY	2014
100	ACL T	aer
	Benton County, I	Mississippi
	n expires: 05/05 /	
		of Missy.
		TARY PUBLICA
		ID # 93003
		JESSICA L. DAVIS
		Commission Expires May 5, 2017
		A W COUNTY
Printer's Fee \$		A STATE OF THE STA

2013 Annuel Drinking Water Quality Report Town of Ashimat you got passoososi April 22, 7014

When pleased to process to you take years Arento you wary day. Our constant goal to be process to you take years as the guality or more and services we deliver you marry day. Our constant goal to be provide you with a sent of dependable mappy of denixing water. We many you to undermost the citizen the for contentially injuryed the dependable mappy of denixing water. We many you to undermost the form to contentially injuryed the water recommendations and processed processed on water recommend to commissing the quality of your senter. Our water recommendable you water to the processed processed on water to content of your senter. Our water recommendable you water recommendable you water to the processed to the pr

water source is two wells. Our waits draw room not upon incompanies of the property of the pro

4

ordering years registed. The value for one follows to constitutions of the constitution of the constitutio

is this table you will find many terms and abbreviations you might not be familier with. To help you belter understand Seek terms solve provided the following definitions:

consistent and a promotion for operations which if exceeds, legger proteom or once represents such a cutor prime closer faces for one constitution of operations which if exceeds, legger proteom or once represents such a cutor prime closer.

Thousand Technique (TT) - A manufact methods is a register proper demokal to reduce this very of a consensure of circles parties.

I frommer promited from . The "Additional Relieve" (CECT) is the highest level of a consensual or in driving water before the commercial found. The "Additional Relieve" (CECT) is the highest level of a protectional text for all many in a consensual control and the consensual control and the consensual control and the control and th

	-			T	ST RESU	LTU.		
- Constant	100 100 100 100 100 100 100 100 100 100	Dela Collected	in a	Rappy of Colorest or of Colorestor Exceptions SNC2/ACT	Linearprises	MELO	9	Likely Source of Consumeration
	-		-	Distafectes!	& DINARES	te By P	edikti	of a Partnership endemicrossis
	There's	· market	er essent	e that so fitting of a	disinfectants	Access	A lot com	rol of provided contemporate). By product of drinking water chlorical ine
TTOM (long	T.	*2003	121	No resegu	ly.			
Olake(#	H.	2011	to	03110	Pare	•		Water address used to control subrabes
\$77 (Gens)			L	Louis	nie Cont	coules	nts	
					Pob	1	14	Consider of regard deposits; report 9
Arsonic	*	mil	2.3	Speninger	l "			erchaele, toriolf from glass and electron production in
Darker	- 2	2011	0.1671	0.0004-0.1671	Pyen	1	1	Displayer of drilling waters displayer to spell refresher, exposer of marget depo-
500 SEC.	1	22.35	6018	2015-0018	Peb	166	100	These there a from street said pains solder, granted
Chesisses	I ALE	2011	i onr	1			265	Committe of boundarie planting systems, conseil
Coccer	· W	7331	0.1	No range	27,00	13	Afa13	Of cathod deposes, backing then produced to Discharge from participate and metal reflection
Selectors	H	2011	35	Nonege	Step	50	50	dresion of natural deposits, descharge them
Flooride	¥	2011	133	0:05133	Pos	1	1	Excellent of nameral deposits, vaster advisors which promotes crown body, employed from furnities and absolutes factories
				1.00		1000	ALOIS	Creming of begonered phonoling restored
Lead	N	*2011	1.0	No rieda	100	3148		cross of caused deposits

Hounts (title-1721-1771)

Your CCR, will not be institut or you between you may cheeling copy at this by celling the Town India at 662-224cells if you have openious.